



Extramaterial till Prehospital akutsjukvård

Litteraturlista

Kapitel 1

Författningshandbok 2022 (2022). Stockholm: Liber.

Krisinformation (2021). *113 13 – informationsnummer vid allvarliga olyckor och kriser*. [Elektronisk]. Tillgänglig: <https://www.krisinformation.se/detta-gor-samhallet/mer-om-sveriges-krisanteringssystem/samhallets-ansvar/sos-alarm/11313> [2021-10-20].

Riksrevisionen (2012). *Statens insatser inom ambulansverksamheten*. https://www.riksrevisionen.se/download/18.78ae827d1605526e94b3020b/1518435472513/Anpassad_12_20_Statens%20insatser_inom_ambulans.pdf [2021-08-18].

Riksrevisionen (2015). *Regeringens styrning av SOS Alarm*. [Elektronisk]. Tillgänglig: <https://data.riksdagen.se/fil/C4DF9309-C38D-4E23-84BC-D1E1CB665022> [2021-08-18].

SOS Alarm (2021). *Vårdprioritering*. [Elektronisk]. Tillgänglig: www.sosalarm.se/Kund/halsa-och-omsorg/vardprioritering/ [2021-10-20].

SOU 2018:28 (2018). *En nationell alarmeringstjänst – för snabba, säkra och effektiva hjälpinsatser*. [Elektronisk]. Tillgänglig: http://www.sou.gov.se/wp-content/uploads/2018/03/SOU_2018_28_web.pdf [2021-08-18].

Webbplatser
Krisinformation: krisinformation.se
Sms-livräddare: www.smslivraddare.se

Kapitel 2

Albertsson, P. & Bylund, P-O. (2009). Ambulanskrascher i Sverige – en retrospektiv analys av information från STRADA. *Scandinavian Update Magazine*, 4:48–51.

Kapitel 4

Arman, M., Dahlberg, K. & Ekebergh, M. (2022). *Teoretiska grunder för vårdande*. 2 uppl. Stockholm: Liber.

Bremer, A., Dahlberg, K., & Sandman, L. (2009). Experiencing out-of-hospital cardiac arrest: significant others' lifeworld perspective. *Qual Health Res*, 19:1407–20.

Bremer, A., & Holmberg, M. (2020). Ethical conflicts in patient relationships: Experiences of ambulance nursing students. *Nurs Ethics*, 27:946–59.

Coomber, K., Curtis, A., Vandenberg, B., Miller, P.G., Heilbronn, C., Matthews, S., Smith, K. et al. (2019). Aggression and violence at ambulance attendances where alcohol, illicit and/or pharmaceutical drugs were recorded: A 5-year study of ambulance records in Victoria, Australia. *Drug Alcohol Depend*, 205:107685.

Holmberg, M. (2021). The EXPAND-model: a hermeneutical application of a lifeworld-led prehospital emergency nursing care. *Nurs Sci Q*. 34:287–93.

Holmberg, M., Forslund, K., Wahlberg, A.C. & Fagerberg, I. (2014). To surrender in dependence of another: the relationship with the ambulance clinicians as experienced by patients. *Scand J Caring Sci*, 28:544–51.

Holmberg, M., Forslund, K., Wahlberg, A.C. & Fagerberg, I. (2016). The relationship with the ambulance clinicians as experienced by significant others. *Nurs Crit Care*, 21:1–8.

Holmberg, M., Nørgaard, J., Eriksson, M. & Svensson, A. (2020). Dyadic teams and nursing care: A critical incident study of nurses in the emergency medical service. *J Clin Nurs*, 29:3743–53.

- Holmberg, M., Wahlberg, A. C., Fagerberg, I. & Forslund, K. (2016). Ambulance clinicians' experiences of relationships with patients and significant others. *Nurs Crit Care*, 21:16–23.
- Løgstrup, K.E. (1994). *Det etiska kravet*. Göteborg: Daidalos.
- Merleau-Ponty, M. (1997). *Kroppens fenomenologi*. Göteborg: Daidalos.
- Ricoeur, P. (1991). *From text to action*. London: Continuum International Publishing Group.
- van der Velden, P.G., Bosmans, M.W.G. & van der Meulen, E. (2016). Predictors of workplace violence among ambulance personnel: A longitudinal study. *Nurs Open*, 3:90–8.

Kapitel 6

- Författningshandbok 2022* (2022). Stockholm: Liber.
- Hedin, G. (2020). *Vårdhygien: vårdrelaterade infektioner och antibiotikaresistens*. Stockholm: Liber.
- Region Stockholm (2021). *Vårdhygieniska rutiner vid ambulanstransport*. [Elektronisk]. Tillgänglig: <https://vardgivarguiden.se/globalassets/kunskapsstod/vardhygien/hygienrad/hygienrutiner-vid-ambulanstransport.pdf?IsPdf=true> [2021-08-19].
- WHO (2009). *WHO guidelines on hand hygiene in health care: a summary*. [Elektronisk]. Tillgänglig: https://www.who.int/gpsc/5may/tools/who_guidelines-handhygiene_summary.pdf [2021-08-19].

Kapitel 7

- Bigham, B.L., Buick, J.E., Brooks, S.C., Morrison, M., Shojania, K.G. & Morrison, L.J. (2012) Patient safety in emergency medical services: a systematic review of the literature. *Prehosp Emerg Care*, 16:20–35.
- Bigham, B.L., Bull, E., Morrison, M., Burgess, R., Maher, J. & Brooks, S.C. (2011). Patient safety in emergency medical services: executive summary and recommendations from the Niagara Summit. *CJEM*, 13:13–8.
- Charles, R., Hood, B., Derosier, J.M., Gosbee, J.W., Li, Y., Caird, M.S. et al. (2016). How to perform a root cause analysis for workup and future prevention of medical errors: a review. *Patient Saf Surg*, 10:20.
- Författningshandbok 2022* (2022). Stockholm: Liber.
- Hagiwara, M.A., Magnusson, C., Herlitz, J., Seffel, E., Axelsson, C., Munters, M. et al. (2019). Adverse events in prehospital emergency care: a trigger tool study. *BMC Emerg Med*, 19:14.
- Hagiwara, M., Suserud, B-O., Jonsson, A. & Henricson, M. (2013). Exclusion of context knowledge in the development of prehospital guidelines: results produced by realistic evaluation. *Scand J Trauma, Resusc Emerg Med*, 21:46.
- Herzberg, S., Hansen, M., Schoonover, A., Skarica, B., McNulty, J., Harrod, T. et al. (2019). Association between measured teamwork and medical errors: an observational study of prehospital care in the USA. *BMJ Open*, 9:e025314.
- Hohenstein, C., Hempel, D., Schultheis, K., Lotter, O. & Fleischmann, T. (2014). Critical incident reporting in emergency medicine: results of the prehospital reports. *Emerg Med J*, 31:415–8.
- Hollnagel, P.E. (2014). *Safety-I and safety-II : the past and future of safety management*. Boca Raton: CRC Press.

Howard, I.L., Bowen, J.M., Al Shaikh, L.A.H., Mate, K.S., Owen, R.C. & Williams, D.M. (2017). Development of a trigger tool to identify adverse events and harm in Emergency Medical Services. *Emerg Med J*, 34:391–7.

Katzenbach, J.R. & Smith, D.K. (1993). The discipline of teams. *Harv Bus Rev*, 71:111–20.

Lammers, R.L., Byrwa, M. & Fales, W. (2012). Root causes of errors in a simulated prehospital pediatric emergency. *Acad Emerg Med*, 19:37–47.

Lammers, R.L., Byrwa, M.J., Fales, W.D. & Hale, R.A. (2009). Simulation-based assessment of paramedic pediatric resuscitation skills. *Prehosp Emerg Care*, 13:345–56.

Lindblad, M. (2018). *Exploring patient safety in home healthcare : a resilience engineering approach*. Stockholm: KTH Royal Institute of Technology.

Macrae, C. (2016). The problem with incident reporting. *BMJ, Quality & Safety*, 25:71–5.

Meckler, G., Hansen, M., Lambert, W., O'Brien, K., Dickinson, C., Dickinson, K. et al. (2018). Out-of-hospital pediatric patient safety events: results of the CSI chart review. *Prehosp Emerg Care*, 22:290–9.

SKR (2021). *Utredning av allvarliga vårdskador. Vägledning vid utredning och handbok för metoden händelseanalys*. Stockholm: Sveriges kommuner och regioner.

SKR (2021). *Risikanalys och händelseanalys. Analysmetod för att öka patientsäkerheten*. 3 uppl. Stockholm: Sveriges kommuner och regioner.

Walshe, K. & Boaden, R.J. (2006). *Patient safety research into practice*. Maidenhead: Open University Press.

Wibring, K., Magnusson, C., Axelsson, C., Lundgren, P., Herlitz, J. & Andersson Hagiwara, M. (2020). Towards definitions of time-sensitive conditions in prehospital care. *Scand J Trauma Resusc Emerg Med*, 28:7.

Kapitel 8

Alexander, D.A. & Klein, S. (2001). Ambulance personnel and critical incidents: impact of accident and emergency work on mental health and emotional well-being. *Br J Psychiatry*, 178:76-81.

Angelsen, D. (2018). *När hjälpen körde i diket: Om ambulanskrockars förekomst, erfarenhetsåterföring och skadeförebyggande arbete*. Masteruppsats. Fakulteten för hälsa, teknik och naturvetenskap, Karlstads universitet.

Blay, G. & Chapman, S. (2011). Retrospectively exploring the importance of items in the decision to leave the emergency medical services (EMS) profession and their relationships to life satisfaction after leaving EMS and likelihood of returning to EMS. *J Allied Health*, 40:29–32.

Boussard, A. & Nordlund, S. (2016). *Ambulanspersonal i utsatta områden: En kvalitativ studie om ambulanspersonalens riskuppfattning i utsatta områden*. C-uppsats. Mittuniversitetet.

Boyle, M., Koritsas, S., Coles, J. & Stanley, J. (2007). A pilot study of workplace violence towards paramedics. *Emerg Med J*, 24:760–3.

Chandola, T., Britton, A., Brunner, E., Hemingway, H., Malik, M., Kumari, M. et al. (2008). Work stress and coronary heart disease: what are the mechanisms? *Eur Heart J*, 29:640–8.

Epel, E.S., Crosswell, A.D., Mayer, S.E., Prather, A.A., Slavich, G.M., Puterman, E. & Mendes, W.B. (2018). More than a feeling: A unified view of stress measurement for population science. *Front neuroendocrinol*, 49:146–69.

- Fransson, E.I., Nordin, M., Magnusson Hanson, L.L. & Westerlund, H. (2018). Job strain and atrial fibrillation—Results from the Swedish Longitudinal Occupational Survey of Health and meta-analysis of three studies. *Eur J Prev Cardiol*, 25:1142–9.
- Gallagher, S. & McGilloway, S. (2008). Living in critical times: The impact of critical incidents on frontline ambulance personnel: A qualitative perspective. *Int J Emerg Ment Health*, 9:215–24.
- Hackett, R.A. & Steptoe, A. (2017). Type 2 diabetes mellitus and psychological stress—a modifiable risk factor. *Nat Rev Endocrinol*, 13:547.
- Jonsson, A., & Segesten, K. (2004). Guilt, shame and need for a container: a study of post-traumatic stress among ambulance personnel. *Accid Emerg Nurs*, 12:215–23.
- Jonsson, A., Segesten, K. & Mattsson, B. (2003). Post-traumatic stress among Swedish ambulance personnel. *Emerg Med J*, 20:79–84.
- Karlsson, K., Nasic, S., Lundberg, L., Mårtensson, J. & Jonsson, A. (2021). Health problems among Swedish ambulance personnel: long-term risks compared to other professions in Sweden – a longitudinal register study. *Int J Occup Saf Ergon*, 1-15.
- Karlsson, K., Niemelä, P. & Jonsson, A. (2011). Heart rate as a marker of stress in ambulance personnel: a pilot study of the body's response to the ambulance alarm. *Prehosp Disaster Med*, 26:21–6.
- Karlsson, K., Niemelä, P. & Jonsson, A. (2020). Stress response in Swedish ambulance personnel during priority-1 alarms. *Australasian J Paramed*, 17:1–7.
- Kivimäki, M., Nyberg, S.T., Fransson, E.I., Heikkilä, K., Alfredsson, L., Casini, A. et al. (2013). Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. *CMAJ*, 185:763–9.
- Lazarus, R.S. & Folkman, S. (1991). The concept of coping. I: Monat, A. & Lazarus, R.S. (red.). *Stress and coping: an anthology*. New York: Columbia University Press. S. 189–206.
- Lindh, G. (1999). Första hjälpen och krisstöd – Arbetarskyddsstyrelsens föreskrifter om första hjälpen och krisstöd samt allmänna råd om tillämpningen av föreskrifterna: Solna: Arbetarskyddsstyrelsens böcker.
- Lundälv, J. (2005a). Ambulanskrascher (EMVC) i internationell belysning—en litteraturgenomgång av fenomenet EMVC och en kunskapsöversikt av intresse för skaderegistrering inom EMVC-området i Sverige åren 1990–2005. *Scand J Trauma, Resusc Emerg Med*, 13:148–58.
- Lundälv, J. (2005b). *Ambulansrelaterade skadehändelser: kunskapsöversikt om skadefrekvens, uppföljningssystem och skadeprevention för ambulanspersonal och patienter*: Institutionen för socialt arbete, Göteborgs universitet.
- Lundälv, J. (2006). Ambulansrelaterade krascher i Finland åren 1996–2005 baserat på försäkringsdata: nya kunskapsvägar för att förebygga ambulanskrascher i framtiden. *Scand J Trauma Resusc Emerg Med*, 14:126–32.
- Lundälv, J. (2017). *Ambulansföraren – efterfrågad förarkompetens och trafiksäkerhet vid anställning av sommarvikarierande förare inom ambulanssjukvården*. Institutionen för socialt arbete, Göteborgs universitet.
- Madsen, I.E., Nyberg, S.T., Hanson, L.M., Ferrie, J.E., Ahola, K., Alfredsson, L. et al. (2017). Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. *Psychol Med*, 47:1342–56.
- Michel, P-O. (2017). *Trauma och stress – stöd och uppföljning av drabbade och insatspersonal*. [Elektronisk]. Tillgänglig: <http://michelmentor.se/files/Trauma-och-stress-mars-2021-3.pdf> [2021-08-20].
- Mishra, S., Goebert, D., Char, E., Dukes, P. & Ahmed, I. (2010). Trauma exposure and symptoms of post-traumatic stress disorder in emergency medical services personnel in Hawaii. *Emerg Med J*, 27:708–11.

- Okada, N., Ishii, N., Nakata, M. & Nakayama, S. (2005). Occupational stress among Japanese emergency medical technicians: Hyogo Prefecture. *Prehosp Disaster Med*, 20:115–21.
- Oliveira, A. C., Neto, F., Teixeira, F. & Maia, Â. (2019). Working in prehospital emergency contexts. *Int J Workplace Health Manag*, 6:469–82.
- Petrie, K., Milligan-Saville, J., Gayed, A., Deady, M., Phelps, A., Dell, L. et al. (2018). Prevalence of PTSD and common mental disorders amongst ambulance personnel: a systematic review and meta-analysis. *Soc Psychiatry Psychiatr Epidemiol*, 53:897–909.
- Petzäll, K., Tällberg, J., Lundin, T. & Suserud, B-O. (2011). Threats and violence in the Swedish pre-hospital emergency care. *Int Emerg Nurs*, 19:5–11.
- Pisarski, A., Bohle, P. & Callan, V.J. (2002). Extended shifts in ambulance work: influences on health. *Stress Health*, 18:119–26.
- Rębak, D., Suliga, E., Grabowska, U. & Głuszek, S. (2018). The prevalence of metabolic syndrome on the sample of paramedics. *Int J Occup Med Environ Health*, 31:741–51.
- Regehr, C., Goldberg, G., Glancy, G. D. & Knott, T. (2002). Posttraumatic symptoms and disability in paramedics. *Can J Psychiatry*, 47:953–8.
- Sheridan, S. (2019). Paramedic health status, fitness and physical tasks: A review of the literature. *Australasian J Paramed*, 16.
- Skogstad, M., Skorstad, M., Lie, A., Conradi, H., Heir, T. & Weisæth, L. (2013). Work-related post-traumatic stress disorder. *Occup Med (Lond)*, 63:175–82.
- Sofianopoulos, S., Williams, B. & Archer, F. (2012). Paramedics and the effects of shift work on sleep: a literature review. *Emerg Med J*, 29:152–5.
- Sterud, T., Ekeberg, Ø. & Hem, E. (2006). Health status in the ambulance services: a systematic review. *BMC Health Serv Res*, 6:82.
- Sterud, T., Hem, E., Ekeberg, Ø., & Lau, B. (2007). Occupational stress and alcohol use: a study of two nationwide samples of operational police and ambulance, personnel in Norway. *J Stud Alcohol Drugs*, 68:896–904.
- Sterud, T., Hem, E., Ekeberg, Ø. & Lau, B. (2008a). Health problems and help-seeking in a nationwide sample of operational Norwegian ambulance personnel. *BMC Public Health*, 8:3.
- Sterud, T., Hem, E., Ekeberg, Ø. & Lau, B. (2008b). Occupational stressors and its organizational and individual correlates: a nationwide study of Norwegian ambulance personnel. *BMC Emerg Med*, 8:16.
- Suserud, B-O., Jonsson, A., Johansson, A. & Petzäll, K. (2013). Caring for patients at high speed. *Emerg Nurse*, 21:14–8.
- Tonello, L., Rodrigues, F.B., Souza, J.W.S., Campbell, C.S.G., Leicht, A. & Boullosa, D. A. (2014). The role of physical activity and heart rate variability for the control of work related stress. *Front Physiol*, 5:67.
- Wireklint Sundström, B. (2005). *Förberedd på att vara oförberedd: en fenomenologisk studie av vårdande bedömning och dess lärande i ambulanssjukvård*. Växjö universitet.
- WHO (2020). *Occupational health: Stress at the workplace*. [Elektronisk]. Tillgänglig: <https://www.who.int/news-room/questions-and-answers/item/occupational-health-stress-at-the-workplace> [2022-01-12].
- Åkerstedt, T., Knutsson, A., Westerholm, P., Theorell, T., Alfredsson, L. & Kecklund, G. (2002). Sleep disturbances, work stress and work hours: a cross-sectional study. *J Psychosom Res*, 53:741–8.
- Åkerstedt, T. (2006). Psychosocial stress and impaired sleep. *Scand J Work Environ Health*, 32:493–501.

Kapitel 9

- Bruinsma, W.E., Becker, S.J.E., Guitton, T.G., Kadzielski, J. & Ring, D. (2015). How prevalent are hazardous attitudes among orthopaedic surgeons? *Clin Orthop Relat Res*, 473:1582–9.
- Burtscher, M.J. & Manser, T. (2012). Team mental models and their potential to improve teamwork and safety: A review and implications for future research in healthcare. *Safety Science*, 5:1344–54.
- Chaleff, I. (2009). *The courageous follower*. Berret-Koehler Publishers.
- Dawson, D. & Reid, K. (1997). Fatigue, alcohol and performance impairment. *Nature*, 388:235.
- Flin, R.H., O'Connor, P. & Crichton, M. (2008). *Safety at the sharp end: a guide to nontechnical skills*. Aldershot: Ashgate Publishing Ltd.
- Kadzielski, J., McCormick, F., Herndon, J.H., Rubash, H., Ring, D. (2015). Surgeons' attitudes are associated with reoperation and readmission rates. *Clin Orthop Relat Res*, 473:1544–5.1
- Larsson, G. & Lajksjö, Ö. (2006). Beslutsfattande under stress: en jämförelse av olika modeller. I: Larsson, G. & Kallenberg, K. (red.). *Direkt ledarskap*. Stockholm: Försvarsmakten. S: 266–79.
- Monö, C. (2010). *Följarskap: om konsten att följa en ledare och leda en följare*. Norsborg: Recito.
- Pukk Härenstam, K. (2015). Kognitiva och sociala färdigheter nödvändiga för säkert teamarbete. *Läkartidningen*, 2015:122:DFEC.
- Riskin, A., Erez, A., Foulk, T.A., Kugelman, A., Gover, A. Shoris, I. et al. (2015). The impact of rudeness on medical team performance: a randomized trial. *Pediatrics*, 136:487–95.
- Sivers, D. (2010). *How to start a movement*. TED talk.
- Vårdhandboken. <http://www.vardhandboken.se/texter/teamarbete-och-kommunikation/crew-resource-management-CRM/>.

Kapitel 10

- Albrow, M. (1972). *Byråkrati: historia, teori, praktik*. Stockholm: Wahlström & Widstrand.
- Aldossari, M., Aljoudi, A. & Celentano, D. (2019) Health issues in the Hajj pilgrimage: a literature review. *East Mediterr Health J*, 25:744–54.
- Agazio, J. & Goodman, P. (2017). Making the hard decisions: Ethical care decisions in wartime nursing practice. *Nurs Outlook*, 65: 92–9.
- Berlin, J. & Carlström, E. (2015a). *Samverkansövningar: om lärande och nytta*. Göteborg: Bokförlaget BAS.
- Berlin, J. & Carlström, E. (2015b). Learning and usefulness of collaboration exercises - A study of the three level collaboration (3LC) exercises between the police, ambulance, and rescue services. *IJDRS*, 33:428–67.
- Berlin, J. & Carlström, E. (2014). Collaboration exercises – the lack of collaborative benefits. *IJDRS*, 5:192–205.
- Berlin, J. & Carlström, E. (2009). *Samverkan på olycksplatsen: om organisatoriska barriäreffekter* Trollhättan: Högskolan Väst.
- Boin, A., Hart, P., Stern, E.K. & Sundelius, B. (2005). *The politics of crisis management. Public leadership under pressure*. Cambridge: Cambridge University Press.
- Burns, T. & Stalker, G.M. (1961). *The management of innovation*. London: Tavistock.

- Chen, R., Sharman, R., Rao, H.R. & Upadhyaya, S. (2013). Data model development for fire related extreme events: an activity theory approach. *MIS Q*, 37:125–47.
- Connelly, O. (2006). *Blundering to glory: Napoleon's military campaigns*. 3 uppl. Lanham: Rowman & Littlefield.
- Corbacioglu, S. & Kapucu, N. (2006). Organisational learning and selfadaption in dynamic disaster environment. *Disasters*, 30: 212–33.
- Furubotn, E.G. & Pejovitch, S. (1972). Property rights and economic theory: a survey of recent literature. *J Econ Lit*, 10:1137–42.
- Guilbaud, G.T. (1966). *Cybernetik*. Stockholm: Aldus/Bonniers.
- Jones, G.R. (1983). Transaction costs, property rights and organizational culture: an exchange perspective. *Adm Sci Q*, 28:454–67.
- Lindbom, H. & Tehler, H. (2020). *Enhetlig terminologi kring begreppet förmåga i det förebyggande och förberedande arbetet över hela hotskalan*. Lund: Lunds universitet.
- Lipsky, M. (2010). *Street level bureaucracy, dilemmas of the individual in public services*. New York: Russel Sage Foundation.
- Luburic, R. (2019). A model of crisis prevention (based on managing change, quality management and risk management). *J Central Banking Theory and Practice*, 2:33–49.
- Matzenacher, B. (2018). The U.S. army and mission command philosophy versus practice. *Military Review* March-April:61–71.
- Morgan, G. (2010). *Images of organization*. Beverly Hills: Sage.
- Rankin, A., Dahlbäck, N. & Lundberg, J. (2013). A case study of factor influencing role improvisation in crisis response teams. *Cogn Technol Work*, 15:79–93.
- Remuzzi, A. & Remuzzi, G. (2020). COVID-19 and Italy: what next? *Lancet*, 10231:1225–8.
- Rykkja, L.H. (2010). Övelser i samfunnsikkerhet som styrnings- och samordningsverktøy. *Nordiske Organisasjonstudier*, 12:2–25.
- Scholtens, A. (2008). Controlled collaboration in disaster and crisis management in the Netherlands, history and practice of an overestimated and underestimated concept. *JCCM*, 16:195–207.
- Schwester, R.W. (2012). *Handbook of critical incident analysis*. New York: ME Sharp.
- Thompson, J.D. (2003). *Organizations in action*. New York: McGraw-Hill.
- Wibble, T., Melin, G., Petersson, A. & Lagerkvist, J. (2005). *Samverkan mellan polis, sjukvård, SOS Alarm och räddningstjänst vid hot om suicid: ett exempel från Jönköpings län*. Karlstad: Räddningsverket.
- Woodward, R. & Jenkins K.N. (2018). *Bringing war to book: writing and producing the military memoir*. Palgrave MacMillan.

Kapitel 11

- American College of Surgeons. Committee on Trauma. National Association of Emergency Medical Technicians. (2020). *PHTLS: prehospital trauma life support*. 9 uppl. Burlington: Jones & Bartlett Learning.
- Författningshandbok 2022* (2022). Stockholm: Liber.
- Kilner, T.M., Brace, S.J., Cooke, M.W., Stallard, N., Bleetman, A. & Perkins, G.D. (2011). In 'big bang' major incidents do triage tools accurately predict clinical priority?: A systematic review of the literature. *Injury*, 42:460–8.
- Nilsson, H. & Kristiansson, T. (2015). *Katastrofmedicinsk beredskap: att leda sjukvård på ett särskilt sätt*. Lund: Studentlitteratur
- Rüter, A., Nilsson, H. & Vikström, T. (2006). *Sjukvårdsledning vid olycka och katastrof: från skadeplats till vårdplats*. Lund: Studentlitteratur.
- Webbplatser

Kapitel 13

- American College of Surgeons Committee on Trauma. (2018). *ATLS: advances trauma life support: student course manual*. 10 uppl. Chicago: American College of Surgeons.
- Ahl, C. & Nyström, M. (2012). To handle the unexpected – the meaning of caring in pre-hospital emergency care. *Int Emerg Nurs*, 20:33–41.
- Bost, N., Crilly, J., Patterson, E. & Chaboyer, W. (2012). Clinical handover of patients arriving by ambulance to a hospital emergency department: A qualitative study. *Int Emerg Nurs*, 20:133–41.
- Bruce, K. & Suserud, B-O. (2005). The handover process and triage of ambulance-borne patients: the experiences of emergency nurses. *Nurs Crit Care*, 10:201–9.
- Carter, A.J.E., Davis, K.A., Evans, L.V & Cone D.C. (2009). Information loss in emergency medical services handover of trauma patients. *Prehosp Emerg Care*, 13:280–5.
- Eriksson, K. (2015). *Den lidande människan*. Stockholm: Liber.
- Evans, S.M., Murray, A., Patrick, I., Fitzgerald, M., Smith, S. & Cameron, P. (2010). Clinical handover in the trauma setting: A qualitative study of paramedics and trauma team members. *Qual Saf Health Care*, 19:57.
- Galvin, K.T. & Todres, L. (2009). Embodying nursing openheartedness: an existential perspective. *J Holis Nurs*, 27:141–9.
- Holmberg, M., Forslund, K. Wahlberg, A.C & Fagerberg, I. (2014). To surrender in dependence of another: the relationship with the ambulance clinicians as experienced by patients. *Scand J Caring Sci*, 28:544–51.
- Nilsson, B. (2017). Ensamhet. I: Wiklund Gustin, L. & Bergbom, I. (red.). *Vårdvetenskapliga begrepp i teori och praktik*. Lund: Studentlitteratur. S. 421–34.
- Owen, C., Hemmings, L. & Brown, T. (2009). Lost in translation: Maximizing handover effectiveness between paramedics and receiving staff in the emergency department. *Emerg Med Australas*, 21:102–7.
- SKR. (2010). *SBAR för strukturerad kommunikation*. [Elektronisk]. Tillgänglig: <https://skr.se/download/18.4829a209177db4e31aa42eea/1615818075739/skl-sbar-bruksanvisning.pdf> [2021-09-09].
- SLAS. (2021). *Behandlingsriktlinjer – Nationella riktlinjer för ambulanssjukvården*. Stockholm: Sveriges medicinskt ledningsansvariga ambulansläkare i samverkan.
- Talbot, R. & Bleetman, A. (2007). Retention of information by emergency department staff at ambulance handover: do standardised approaches work? *Emerg Med J*, 24:539–42.

Kapitel 14

- Andersson, U., Maurin Söderholm, H., Wireklint Sundström, B., Andersson Hagiwara, M. & Andersson, H. (2019). Clinical reasoning in the emergency medical services: an integrative review. *Scand J Trauma, Resusc Emerg Med*, 27:76.
- Andersson Hagiwara, M., Lundberg, L., Sjöqvist, B.A. & Maurin Söderholm, H. (2019). The effects of integrated it support on the prehospital stroke process: results from a realistic experiment. *J Healthc Inform Res*, 3:300–28.
- Andersson Hagiwara, M., Suserud, B-O., Andersson-Gare, B., Sjöqvist, B., Henricson, M. & Jonsson, A. (2014). The effect of a computerised decision support system (CDSS) on

compliance with the prehospital assessment process: results of an interrupted time-series study. *BMC Med Inform Decis Mak*, 14:70.

Bledsoe, B.E., Wasden, C. & Johnson, L. (2013) Electronic prehospital records are often unavailable for emergency department medical decision making. *West J Emerg Med*, 14:482–8.

Byrne, A. (2013). Mental workload as a key factor in clinical decision making. *Advs Health Sci Educ Theory Pract*, 18:537–45.

Carter, A.J., Davis, K.A., Evans, L.V. & Cone, D.C. (2009). Information loss in emergency medical services handover of trauma patients. *Prehosp Emerg Care*, 13:280–5.

Croskerry, P. (2009). Clinical cognition and diagnostic error: applications of a dual process model of reasoning. *Adv Health Sci Educ Theory Pract*, 1:27–35.

Evans, J.S.B.T. (2008). Dual-processing accounts of reasoning, judgment, and social cognition. *Ann Rev Psychol*, 59:255–78.

Garg, A.X., Adhikari, N.K.J., McDonald, H., Rosas-Arellano, M.P., Devereaux, P.J., Beyene, J. et al. (2005). Effects of computerized clinical decision support systems on practitioner performance and patient outcomes: a systematic review. *JAMA*, 293:1223–8.

Hagiwara, M.A., Magnusson, C., Herlitz, J., Seffel, E., Axelsson, C., Munters, M. et al. (2019). Adverse events in prehospital emergency care: a trigger tool study. *BMC Emerg Med*, 19:14.

Hagiwara M, Suserud B-O, Jonsson A, Henricson M. (2013). Exclusion of context knowledge in the development of prehospital guidelines: results produced by realistic evaluation. *Scand J Trauma Resusc Emerg Med*, 21:46.

Jensen, J.L. (2011). Paramedic clinical decision-making: result of two Canadian studies. *J Paramed Pract*, 1:63–71.

Kahneman, D.A. (2003). Perspective on judgment and choice: Mapping bounded rationality. *Am Psychol*, 58:697–720.

Kawamoto, K., Houlihan, C.A., Balas, E.A. & Lobach, D.F. (2005). Improving clinical practice using clinical decision support systems: a systematic review of trials to identify features critical to success. *BMJ*, 330:765.

Tversky, A. & Kahneman, D. (1974). Judgment under uncertainty: heuristics and biases. *Science*, 185:1124–31.

Wibring, K., Magnusson, C., Axelsson, C., Lundgren, P., Herlitz, J. & Andersson Hagiwara, M. (2020). Towards definitions of time-sensitive conditions in prehospital care. *Scand J Trauma Resusc Emerg Med*, 28:7.

Wireklint Sundström, B. (2005). *Förberedd på att vara oförberedd : en fenomenologisk studie av vårdande bedömning och dess lärande i ambulanssjukvård*. Växjö: Växjö University Press.

Kapitel 15

Abu-Zidan, F.M. & Cevik, A.A. (2018). Diagnostic point-of-care ultrasound (POCUS) for gastrointestinal pathology: state of the art from basics to advanced. *World J Emerg Surg*, 13:47.

Bossers, S.M., Schwarte, L.A., Loer, S.A., Twisk, J.W., Boer, C. & Schober, P. (2015). Experience in prehospital endotracheal intubation significantly influences mortality of patients with severe traumatic brain injury: a systematic review and meta-analysis. *PLoS One*, 10:e0141034.

Dahmarde, H., Parooie, F. & Salarzai, M. (2019). Accuracy of ultrasound in diagnosis of pneumothorax: a comparison between neonates and adults-a systematic review and meta-analysis. *Can Respir*, 2019:5271982.

Lindahl, S., Winsö, O. & Åkeson, J. (2016). 3 uppl *Anestesi*. Stockholm: Liber.

Hubble, M.W., Wilfong, D.A., Brown, L.H., Hertelendy, A. & Benner, R.W. (2010). A meta-analysis of prehospital airway control techniques part II: alternative airway devices and cricothyrotomy success rates. *Prehosp Emerg Care*, 14:515–30.

Jarvis, C. & Eckhardt, A. (2020). *Physical examination & health assessment*. 8 uppl. St. Louis: Elsevier.

Linde, J. (2018). *Resuscitering : akut intensivvård i svåra miljöer på och utanför sjukhus*. Stockholm: Vulkan.

Magnusson, C., Axelsson, C., Nilsson, L., Strömsöe, A., Munters, M., Herlitz, J. et al. (2018). The final assessment and its association with field assessment in patients who were transported by the emergency medical service. *Scand J Trauma Resusc Emerg Med*, 26:111.

National Association of Emergency Medical Technicians (U.S.). Advanced Medical Life Support Committee (2021). *AMLS : advanced medical life support : an assessment-based approach*. 3 uppl. Burlington: Jones & Bartlett Learning.

Rehn, M., Hyldmo, P.K., Magnusson, V., Kurola, J., Kongstad, P., Rognås, L. et al. (2016). Scandinavian SSAI clinical practice guideline on pre-hospital airway management. *Acta Anaesthesiol Scand*, 60:852–64.

Svensk förening för anestesi och intensivvård (2018). *SFAI rekommendationer svår luftväg*. [Elektronisk]. <https://sfai.se/riktlinje/medicinska-rad-och-riktlinjer/anestesi/den-svara-luftvagen-vuxen> [2021-11-05].

Walther, S.M., Jonasson, U. & Gill, H. (2003). Comparison of the Glasgow Coma Scale and the Reaction Level Scale for assessment of cerebral responsiveness in the critically ill. *Intensive Care Med*, 29:933–8.

Whitson, M.R. & Mayo, P.H. (2016). Ultrasonography in the emergency department. *Crit Care*, 20:227.

Wireklint Sundström, B. (2005). *Förberedd på att vara oförberedd : en fenomenologisk studie av vårdande bedömning och dess lärande i ambulanssjukvård*. Växjö: Växjö University Press.

Webbplats
Vårdhandboken: vardhandboken.se

Kapitel 16

Albreiki, M. & Voegeli, D. (2018). Permissive hypotensive resuscitation in adult patients with traumatic haemorrhagic shock: a systematic review. *Eur J Trauma Emerg Surg*, 44:191–202.

European Resuscitation Council (2021). *New ERC guidelines*. [Elektronisk]. Tillgänglig: <https://cprguidelines.eu/> [2022-02-23].

Författningshandbok 2022 (2022). Stockholm: Liber.

Kapitel 17

1177 (2017). *Avslappning genom andning*. [Elektronisk]. Tillgänglig: <https://www.1177.se/Stockholm/liv--halsa/stresshantering-och-somn/avslappning-genom-andning/> [2022-03-18].

O'Driscoll, Howard, L.S., Earis, J. & Mak, V. (2017). British Thoracic Society Guideline for oxygen use in adults in healthcare and emergency settings. *BMJ Open Respir Res*, 4:e000170.

Ponikowski, P., Voors, A.A., Anker, S.D., Héctor Bueno, Cleland, J.G.F., Coats, A.J.S. et al. (2016). 2016 ESC guidelines for the diagnosis and management of acute and chronic heart failure. *Eur J Heart Fail*, 18:891–975.

Skoglund, K., Trimpou, P. & Eriksson, H. (2007). ABC om akut lungemboli. *Läkartidningen*, 14–15:1148–53.

Kapitel 19

Dargan, P.I. & Jones, A.L. (2003). Management of paracetamol poisoning. *Trends Pharmacol Sci*, 24:154–7.

Dines, A.M., Wood, D.M., Yates, C., Heyerdahl, F., Hovda, K.E., Giraudon, I. et al. (2015). Acute recreational drug and new psychoactive substance toxicity in Europe: 12 months data collection from the European Drug Emergencies Network (Euro-DEN). *Clin Toxicol (Phila)*, 53:893–900.

European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol*, 35:711–9.

Heyerdahl, F., Hovda, K., Bjornaas, M., Nore, A., Figueiredo, J., Ekeberg, O. & Jacobsen, D. (2008). Pre-hospital treatment of acute poisonings in Oslo. *BMC Emerg Med*, 8:15.

Hovda, K.E., Bjornaas, M.A., Skog, K., Opdahl, A., Drottning, P., Ekeberg, O. & Jacobsen, D. (2007). Acute poisonings treated in hospital in Oslo: a one-year prospective study (I): Pattern of poisoning. *Clin Toxicol*, 46:35–41

Jones, A.L. & Volans, G. (1999). Management of self poisoning. *BMJ*, 319:1414–7.

Lund, C., Drottning, P., Stiksrud, B., Vahabi, J., Lyngra, M., Ekeberg, I. et al. (2012). A one-year observational study of all hospitalized acute poisonings in Oslo: complications, treatment and sequelae. *Scand J Trauma Resusc Emerg Med*, 20:49.

Neuvonen, P.J. & Olkkola, K.T. (1988). Oral activated charcoal in the treatment of intoxication. Role of single and repeated doses. *Med Toxicol Adverse Drug Exp*, 3:33–58.

Vale, J.A. (1997). Position statement: gastric lavage. American Academy of Clinical Toxicology;

European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol*, 35:711–9.

Kapitel 20

Abraham-Nordling, M., Byström, K., Törring, O., Lantz, M., Berg, G., Calissendorff, J. et al. (2011). Incidence of hyperthyroidism in Sweden. *Eur J Endocrinol*, 165:899–905.

Cain, E., Ackroyd-Stolarz, S., Alexiadis, P & Murray, D. (2003). Prehospital hypoglycemia: the safety of not transporting treated patients. *Prehosp Emerg Care*, 7:458–65.

National Association of Emergency Medical Technicians (U.S.). Advanced Medical Life Support Committee. (2017). *AMLS : advanced medical life support : an assessment-based approach*. 2 uppl. Burlington: Jones & Bartlett Learning.

Läkemedelsverket (2018). *Läkemedelsboken 2018*. Uppsala: Läkemedelsverket.

Praktisk medicin (2020). *Binjurebarksinsufficiens. Addisons sjukdom. Morbus Addison*. [Elektronisk]. Tillgänglig:

[https://www.praktiskmedicin.se/sjukdomar/binjurebarksinsufficiens-addisons-sjukdom/\[2021-08-25\]](https://www.praktiskmedicin.se/sjukdomar/binjurebarksinsufficiens-addisons-sjukdom/[2021-08-25]).

Svenska diabetesförbundet (2020). *Diabetes i siffror*. [Elektronisk]. Tillgänglig:

[https://www.diabetes.se/diabetes/lar-om-diabetes/diabetes-i-siffror/\[2021-08-25\]](https://www.diabetes.se/diabetes/lar-om-diabetes/diabetes-i-siffror/[2021-08-25]).

Kapitel 21

- Bone, R.C., Balk, R.A., Cerra, F.B., Dellinger, R.P., Fein, A.M., Knaus, W.A. et al. (1992). Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. *Chest*, 101:1644–55.
- Brink, M., Cronqvist, J., Fagerberg, A., Kurland, L., Lindgren, P., Lipcsey, M. et al. (2018). Nu gäller sepsis-3 för definitioner och diagnostiska kriterier. *Läkartidningen*, 2018;115:E3W9.
- Edman-Wallér, J., Ljungström, L., Jacobsson, G., Andersson, R., & Werner, M. (2016). Systemic symptoms predict presence or development of severe sepsis and septic shock. *Infect Dis (Lond)*, 48(3), 209–14.
- Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C. M., French, C. et al. (2021). Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Med*, 47:1181–1247.
- Kumar, A., Roberts, D., Wood, K. E., Light, B., Parrillo, J. E., Sharma, S. et al. (2006). Duration of hypotension before initiation of effective antimicrobial therapy is the critical determinant of survival in human septic shock. *Crit Care Med*, 34:1589–96.
- Levy, M.M., Fink, M.P., Marshall, J.C., Abraham, E., Angus, D., Cook, D. et al. (2003). 2001 SCCM/ESICM/ACCP/ATS/SIS international sepsis definitions conference. *Crit Care Med*, 31:1250–6.
- Ljungström, L., Andersson, R., & Jacobsson, G. (2019). Incidences of community onset severe sepsis, Sepsis-3 sepsis, and bacteremia in Sweden—A prospective population-based study. *PLoS One*, 14:e0225700.
- Ljungström, L.R., Steinum, O., Brink, M., Gårdlund, B., Martner, J., & Sjölin, J. (2011). Diagnostik och diagnoskodning av svår sepsis och septisk chock. *Läkartidningen*, 8:276–8.
- Mellhammar, L., Wullt, S., Lindberg, Å., Lanbeck, P., Christensson, B. & Linder, A. (2016). Sepsis incidence: a population-based study. *Open Forum Infect Dis*, 3:ofw207.
- Peake, S.L., Delaney, A., Bailey, M., Bellomo, R., Cameron, P.A., Cooper, D.J. et al. (2014). Goal-directed resuscitation for patients with early septic shock. *N Engl J Med*, 371:1496–506.
- Rosenqvist, M., Bengtsson-Toni, M., Tham, J., Lanbeck, P., Melander, O. & Åkesson, P. (2020). Improved outcomes after regional implementation of sepsis alert: a novel triage model. *Crit Care Med*, 48:484–490.
- Rosenqvist, M., Fagerstrand, E., Lanbeck, P., Melander, O., & Åkesson, P. (2017). Sepsis Alert—a triage model that reduces time to antibiotics and length of hospital stay. *Infect Dis (Lond)*, 49:507–13.
- Shankar-Hari, M., Phillips, G.S., Levy, M.L., Seymour, C.W., Liu, V.X., Deutschman, C.S. et al. Developing a new definition and assessing new clinical criteria for septic shock: for the third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA*, 315:775–87.
- Singer, M., Deutschman, C.S., Seymour, C.W., Shankar-Hari, M., Annane, D., Bauer, M. et al. (2016). The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA*, 315:801–10.
- Sundén-Cullberg, J., Rylance, R., Svefors, J., Norrby-Teglund, A., Björk, J., & Inghammar, M. (2017). Fever in the emergency department predicts survival of patients with severe sepsis and septic shock admitted to the ICU. *Crit Care Med*, 45:591–9.
- Svenska infektionsläkarföreningen (2018). *Vårdprogram: Sepsis och septisk chock – tidig identifiering och initial handläggning*. [Elektronisk]. Tillgänglig: <https://infektion.net/wp-content/uploads/2018/06/revision-sepsis-och-septisk-chock-180626.pdf> [2021-05-27].

Vincent, J.-L., Moreno, R., Takala, J., Willatts, S., De Mendonça, A., Bruining, H. et al. (1996). The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. *Intensive Care Med*, 22:707–10.

Wallgren, U.M., Bohm, K.E.M. & Kurland, L. (2017). Presentations of adult septic patients in the prehospital setting as recorded by emergency medical services: a mixed methods analysis. *Scand J Trauma, Resusc Emerg Med*, 25:23.

Widgren, B.R. & Jourak, M. (2011). Medical Emergency Triage and Treatment System (METTS): a new protocol in primary triage and secondary priority decision in emergency medicine. *J Emerg Med*, 40:623–8.

Yealy, D., Kellum, J., Huang, D., Barnato, A., Weissfeld, L., Pike, F. et al. (2014). A randomized trial of protocol-based care for early septic shock. *N Engl J Med*, 370:1683–93.

Kapitel 22

Falch, C., Vicente, H., Häberle, H., Kischniak, a., Müller, S, Nissan, B. & Brücher, B.L.D.M. (2014). Treatment of acute abdominal pain in the emergency room: a systematic review of the literature. *Eur J Pain*, 18:902–13.

Hansson, L-E. (2013). *Akut buk*. Lund: Studentlitteratur.

Hansson, L-E. & Wikström, T. (red.) (2014). *Akut kirurgi med traumatologi*. Lund: Studentlitteratur.

Järhult, J., Offenbartl, K. & Andersson, M. (2019). *Kirurgiboken*. Stockholm: Liber.

Lindelius, A., Törngren, S., Pettersson, H. & Adami, J. (2009). Role of surgeon-performed ultrasound on further management of patients with acute abdominal pain: a randomised controlled clinical trial. *Emerg Med J*, 26:561–6.

Manterola, C., Vial, M., Moraga, J. & Astudillo, P. (2011). Analgesia in patients with acute abdominal pain. *Cochrane Database Syst Rev*.CD005660.

Kapitel 23

Jabre, P. (2013). Family presence during cardiopulmonary resuscitation. *N Engl J Med*, 368:1008–18.

Etiska riktlinjer för hjärt–lungräddning (HLR). [Elektronisk]. Tillgänglig: <https://www.sls.se/contentassets/90bcc300207d4d09ad133e68f80c7b58/riktlinjer20maj2021.pdf> [2021-10-04].

European Resuscitation Council (2021). *Guidelines 2021*: cprguidelines.eu.

Svenska hjärt–lungräddningsregistret (2021). *Årsrapport för år 2020*. [Elektronisk]. Tillgänglig: <https://arsrapporter.registercentrum.se/shlr/20210929/> [2022-02-01].

Svenska läkaresällskapet, Svensk sjuksköterskeförening, Svenska rådet för hjärt–lungräddning (2021).

Webbplatser
HLR-rådet: www.hlr.nu

Kapitel 24

Brugada, J., Katritsis, D.G., Arbelo, E., Arribas, F., Bax, J.J., Blomström-Lundqvist, C. (2020). 2019 ESC Guidelines for the management of patients with supraventricular tachycardia. *Eur J Heart*, 41:655–720.

Collet, J-P., Thiele, H., Barbato, E., Barthélémy, O., Bauersachs, J., Bhatt, D.L. et al. (2021).
 2020 ESC guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *Eur Heart J*, 42:1289–1367.

Erbel, R., Aboyans, V. Boileau, C., Bossone, E., Di Bartolomeo, R., Eggebrecht, H. et al. (2014). 2014 ESC guidelines on the diagnosis and treatment of aortic diseases. *Eur Heart J*, 2873–926.

European Society of Cardiology (ESC). *Clinical practice guidelines*. [Elektronisk].
 Tillgänglig: [https://www.escardio.org/Guidelines/Clinical-Practice-Guidelines\[2021-10-06\]](https://www.escardio.org/Guidelines/Clinical-Practice-Guidelines[2021-10-06]).

Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., Bueno, H. et al. (2018). 2017 ESC guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *Eur Heart J*, 39: 119–77.

Konstantinides, S., Meyer, G., Becattini, C., Bueno, H., Geersing, G-J., Harjola, V-P. et al. (2020). 2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). *Eur Heart J*, 41:543–603.

Priori, S.G., Blomström-Lundqvist, C., Mazzanti, A., Blom, N., Borggrefe, M., Camm, J. et al. (2015).
 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death. *Eur Heart J*, 36:2793–2867.

Socialstyrelsen (2020). *Statistik om hjärtinfarkter 2019*. [Elektronisk]. Tillgänglig: <https://www.socialstyrelsen.se/globalassets/sharepoint-dokument/artikelkatalog/statistik/2020-12-7060.pdf> [2021-10-06].

Swedeheart (2021). *Annual report 2020*. [Elektronisk]. Tillgänglig: <https://www.ucr.uu.se/swedeheart/arsrapport> [2021-10-06].

Thygesen, K., Alpert, J.S, Jaffe, A.S., Chaitman, B.R, Bax, J.J., Morrow., D.A. et al. (2018). Fourth universal definition of myocardial infarction. *Eur Heart J*, 3:237–69.

Webbplatser
 Internetmedicin: www.internetmedicin.se

Kapitel 25

Abdelrahman, I., Elmasry, M., Steinvall, I., Fredrikson, M. & Sjöberg, F. (2017). Improvement in mortality at a National Burn Centre since 2000: Was it the result of increased resources. *Medicine*, 96:6727.

Allison, K. & Porter, K. (2004). Consensus on the pre-hospital approach to burns patient management. *Injury*, 734–8.

American Burn Association (2015). *Advanced burn life support course. Provider manual*. [Elektronisk]. Tillgänglig: <https://www.scribd.com/document/405715804/ABLS-PROVIDER-MANUAL-2015-Revisions-pdf> [2021-11-23].

American College of Surgeons. Committee on Trauma. National Association of Emergency Medical Technicians (U.S.) (2020). *PHTLS: prehospital trauma life support*. Burlington: Jones & Bartlett Learning.

Beasley, D.M.G. & Glass, W.I. (1998). Cyanide poisoning: pathophysiology and treatment recommendations. *Occup Med*, 48:427–31.

Biswas, R., Shibu, P.K. & James, C.M. (2004). Pulmonary oedema precipitated by cold water swimming. *Br J Sports Med*, 38:36.

Brown, D.J.A, Brugger, H., Boyd, J. & Paal, P. (2012). Accidental hypothermia. *N Engl J Med*, 367:1930–8.

Bäckström, D., Larsen, R., Steinvall, I., Fredrikson, M., Gedeborg, R. & Sjöberg, F. (2018). Deaths caused by injury among people of working age (18–64) are decreasing, while those among older people (64+) are increasing. *Eur J Trauma Emerg Surg*, 44:589–66.

Bäckström, D., Steinvall, I. & Sjöberg, F. (2017). Change in child mortality patterns after injuries in Sweden: a nationwide 14-year study. *Eur J Trauma Emerg Surg*, 43:343–9.

Casa, D.J., McDermott, B.P., Lee, E.C., Yeargin, S.W., Armstrong, L.E. & Maresh, C.M. (2007). Cold water immersion: the gold standards for exertional heatstroke treatment. *Exerc Sport Sci Rev*, 35:141–9.

Danzl, D.F. (2012). Accidental hypothermia. I: Auerbach, P.S. (red.). *Wilderness medicine*. 6 uppl. Philadelphia: Elsevier Mosby. S. 116–42.

Douma, M.J., Aves, T., Allan, K.S., Bendall, J.C., Berry, D.C., Chang, W. et al. (2020). First aid cooling techniques for heat stroke and exertional hyperthermia: a systematic review and meta-analysis. *Resuscitation*. 148:173–90.

Dow, J., Giesbrecht, G.G., Danzl, D.F., Brugger, H., Sagalyn, E.B., Walpoth, B. et al. (2019). Wilderness medical society clinical practice guidelines for the out-of-hospital evaluation and treatment of accidental hypothermia: 2019 Update. *Wilderness Environ Med*, 30:47–69.

Epstein, Y. & Yanovich, R. (2019). Heatstroke. *N Engl J Med*, 380:2449–59.

Florence, C.S., Bergen, G., Atherly, A., Burns, E., Stevens, J. & Drake, C. (2018). Medical costs of fatal and nonfatal falls in older adults. *J Am Geriatr Soc*, 66: 693-8.

Fransson, M., Nilsson, M. & Ginstman, F. (2020). Svår traumatisk hjärnskada. *Läkartidningen*, 2020,117:FYTZ.

Författningshandbok 2022 (2022). Stockholm: Liber.

Gedeborg, R., Chen, L.-H., Thiblin, I., Byber, L., Melhus, H., Michalesson, K. & Warner, M. (2012). Prehospital injury deaths--strengthening the case for prevention: nationwide cohort study. *J Trauma Acute Care Surg*, 72:765–72.

Giesbrecht, G.G., Bristow, G.K., Uin, A., Ready, A.E. & Jones, R.A. (1987). Effectiveness of three field treatments for induced mild (33.0 degrees C) hypothermia. *J Appl Physiol*, 63:2375–9.

Giesbrecht, G.G., Goheen, M.S., Johnston, C.E., Kenny, G.P., Bristow, G.K. & Hayward, J.S. (1997). Inhibition of shivering increases core temperature afterdrop and attenuates rewarming in hypothermic humans. *J Appl Physiol*, 83:1630–4.

Giesbrecht, G.G., Sessler, D.I., Mekjavic, I.B., Schroeder, M. & Bristow, G.K. (1994). Treatment of mild immersion hypothermia by direct body-to-body contact. *J Appl Physiol*, 76:2373–9.

Gilbert, M., Busund, R., Skagseth, A., Nilsen, P.A. & Solbø, J.P. (2000). Resuscitation from accidental hypothermia of 13.7 degrees C with circulatory arrest. *Lancet*, 355:375–6.

Goheen, M.S., Ducharme, M.B., Kenny, G.P., Johnston, C.E., Frim, J., Bristow, G.K. et al. (1997). Efficacy of forced-air and inhalation rewarming by using a human model for severe hypothermia. *J Appl Physiol*, 83:1635–40.

Greif, R., Rajek, A., Laciny, S., Bastanmehr, H. & Sessler, D.I. (2000). Resistive heating is more effective than metallic-foil insulation in an experimental model of accidental hypothermia: A randomized controlled trial. *Ann Emerg Med*, 35:337–45.

Gus, E. & Cleland, H. (2020). Burn fluid resuscitation formulae: concept and misconception. *Injury*, 52:780–1.

Haverkamp, F.J.C., Giesbrecht, G.G. & Tan, E.C.T.H. (2018). The prehospital management of hypothermia — An up-to-date overview. *Injury*, 49:149–64.

Heled, Y., Rav-Acha, M., Shani, Y., Epstein, Y. & Moran, D.S. (2004). The “golden hour” for heatstroke treatment. *Mil Med*, 169:184–6.

- Henriksson, O., Lundgren, J.P., Kuklane, K., Holmér, I. & Bjornstig, U. (2009). Protection against cold in prehospital care – thermal insulation properties of blankets and rescue bags in different wind conditions. *Prehosp Disaster Med*, 24:408–15.
- Henriksson, O., Lundgren, P., Kuklane, K., Holmér, I., Naredi, P. & Bjornstig U. (2012). Protection against cold in prehospital care: evaporative heat loss reduction by wet clothing removal or the addition of a vapor barrier – a thermal manikin study. *Prehosp Disaster Med*, 27:53–8.
- Henriksson, O., Lundgren, P., Kuklane, K., Holmér, I., Giesbrecht, G., Naredi, P. & Bjornstig, U. (2015). Protection against cold in prehospital care: wet clothing removal or addition of a vapor barrier. *Wilderness Environ Med*, 26:11–20.
- Hess, D.R. (2017). Inhaled carbon monoxide: from toxin to therapy. *Respir Care*, 62:1333–42
- Hultzer, M.V., Xu, X., Marrao, C., Bristow, G., Chochinov, A. & Giesbrecht, G.G. (2005). Pre-hospital torso-warming modalities for severe hypothermia: a comparative study using a human model. *CJEM*, 7:378–86.
- Landstingets ömsesidiga försäkringsbolag (2019). *Prehospital spinal rörelsebegränsning vid trauma: nationella rekommendationer*. Stockholm: LÖF.
- Larsen, R. (2019). *Risk-adjustment for Swedish in-hospital trauma mortality using international classification of disease injury severity score (ICISS): issues with description and methods*. Diss. Linköping: Linköping University, Department of clinical and experimental medicine.
- Larsson, G., Strömberg, U., Rogmark, C. & Nilsson, A. (2019). It was not a hip fracture – you were lucky this time – or perhaps not! A prospective study of clinical outcomes in patients with low-energy pelvic fractures and hip contusions. *Injury*, 50:913–8.
- Lenquist, S. (red.). (2017). *Traumatologi*. 2 uppl. Stockholm: Liber.
- Lipman, G.S., Gaudio, F.G., Eifling, K.P., Ellis, M.A., Otten, E.M. & Grissom, C.K. (2019). Wilderness medical society clinical practice guidelines for the prevention and treatment of heat illness: 2019 update. *Wilderness Environ Med*, 30:33–46.
- Lott, C., Truhlár, A., Alfonzo, A., Barelli, A., González-Salvado, V., Hinkelbein, J. et al. (2021). European Resuscitation Council Guidelines 2021: Cardiac arrest in special circumstances. *Resuscitation*, 161:152–219.
- Lundgren, J.P., Henriksson, O., Pretorius, T., Cahill, F., Bristow, G., Chochinov, A. et al. (2009). Field torso-warming modalities: a comparative study using a human model. *Prehosp Emerg Care*, 13:371–8.
- Maas, A.I., Dearden, M., Teasdale, G.M., Braakman, R., Cohadon, F., Ianotti, F. et al. (1997). EBIC-guidelines for management of severe head injury in adults. European Brain Injury Consortium. *Acta Neurochir (Wien)*, 139:286–94.
- Mark, E., Jacobsen, O., Kjerstad, A., Naesheim, T., Busund, R., Bahar, R. et al. (2012). Hypothermic cardiac arrest far away from the center providing rewarming with extracorporeal circulation. *Int J Emerg Med*, 5:7.
- Maudet, L., Pasquier, M., Pantet, O., Albrecht, R. & Carron, P-N. (2020). Prehospital management of burns requiring specialized burn centre evaluation: a single physician-based emergency medical service experience. *Scand J Trauma Resusc Emerg Med*, 28:84.
- McDermott, B.P., Casa, D.J., Ganio, M.S., Lopez, R.M., Yeargin, S.W., Armstrong, L.E. & Maresh, C.M. (2009). Acute whole-body cooling for exercise-induced hyperthermia: a systematic review. *J Athl Train*, 44:84–93.

Mlcak, R.P., Buffalo, M.C. & Jimenez, C.J. (2018). Prehospital Management, Transportation, and Emergency Care. I: Herndon, D.N. (red.). *Total burn care*. 5 uppl. Elsevier Health Sciences Div. S. 58–65.

Niemi-Nikkola, V., Saijets, N., Ylipoussu, H., Kinnunen, P., Pesälä, J., Mäkelä, P. et al. (2018). Traumatic spinal injuries in northern Finland. *Spine (Phila Pa 1976)*, 43:45–51.

Paal, P., Gordon, L., Strapazzon, G., Brodmann Maeder, M., Putzer, G., Walpoth, B., Wanscher, M. et al. (2016). Accidental hypothermia – an update. *Scand J Trauma Resusc Emerg Med*, 24:111.

Quinn, R.H., Wedmore, I., Johnson, E., Sslas, A., Anglim, A., Zfren, K. et al. (2014). Wilderness medical society practice guidelines for basic wound management in the austere environment. *Wilderness Environ Med*, 25:295–310.

Rikshöft årsrapport 2017 (2017). [Elektronisk]. Tillgänglig: https://04e8d8b0-c67b-4aa0-a7e7-d272a37c2285.filesusr.com/ugd/3ac01b_9ac42d6aee0445dabda3d70b8fe2d501.pdf [2021-11-22].

Roberts, G., Lloyd, M., Parker, M., Martin, R., Philp, B., Shelley, O. & Dziewulski, P. (2012). The Baux score is dead. Long live the Baux score: a 27-year retrospective cohort study of mortality at a regional burns service. *J Trauma Acute Care Surg*, 72:251–6.

Rosengren, B.E. & Karlsson, M.K. (2014). The annual number of hip fractures in Sweden will double from year 2002 to 2050: projections based on local and nationwide data. *Acta Orthop*, 85:234–7.

Rossiter, N.D., Chapman, P. & Haywood, I.A (1996). How big is a hand? *Burns*, 22:230–1.

Smith, J.E. (2005). Cooling methods used in the treatment of exertional heat illness. *Br J Sports Med*, 39:503–7.

Socialstyrelsen (2020). *Statistik om skador och förgiftningar behandlade i slutenvård 2020*. [Elektronisk]. Tillgänglig: <https://www.socialstyrelsen.se/globalassets/sharepoint-dokument/artikelkatalog/statistik/2021-9-7575.pdf> [2021-11-23].

Steinvall, I., Elmasry, M., Fredrikson, M. & Sjöberg, F. (2016). Standardised mortality ratio based on the sum of age and percentage total body surface area burned is an adequate quality indicator in burn care: An exploratory review. *Burns*, 42:28–40.

Sterba, J.A. (1991). Efficacy and safety of prehospital rewarming techniques to treat accidental hypothermia. *Ann Emerg Med*, 20:896–901.

SweTrau (2020). *Svenska traumaregistret. Årsrapport 2020*. [Elektronisk]. Tillgänglig: <https://rcsyd.se/swetrau/wp-content/uploads/sites/10/2021/09/Arsrapport-SweTrau-2020.pdf> [2021-11-22].

Søreide, K., Kruger, A.J., Vardal, A.L., Ellingsen, C.L., Søreide, E. & Lossius, H.M. (2007). Epidemiology and contemporary patterns of trauma deaths: changing place, similar pace, older face. *World J Surg*, 31:2092–103.

Thomassen, Ø., Færevik, H., Østerås, Ø., Sunde, G.A., Zakariassen, E., Sandsund, M. et al. (2011). Comparison of three different prehospital wrapping methods for preventing hypothermia - a crossover study in humans. *Scand J Trauma Resusc Emerg Med*, 19:41.

Walpoth, B.H., Walpoth-Aslan, B.N., Mattle, H.P., Radonov, B.P., Schroth, G., Schaeffler, L. (1997). Outcome of survivors of accidental deep hypothermia and circulatory arrest treated with extracorporeal blood warming. *N Engl J Med*, 337:1500–5.

van Den Hauwe, L., Sundgren, P.C., Flanders, A.E., Hodler, J., Kubik-Huch, R.A., von Schulthess, G.K. (2020). Spinal trauma and spinal cord injury (SCI). I: Hodler, J. (red.). *Diseases of the brain, head and neck, spine 2020–2023*. Springer.

Wanscher, M., Agersnap, L., Ravn, J., Yndgaard, S., Feldbæk Nielsen, J., Danielsen, E.R. et al. (2012). Outcome of accidental hypothermia with or without circulatory arrest: experience from the Danish Præstø Fjord boating accident. *Resuscitation*, 83:1078–84.

Kapitel 26

- Aronsson, A. & Bergström, S. (2012). Abdominell kompression av aorta effektivt vid svår postpartumblödning. *Läkartidningen*, 34–35:1478–80.
- Berg, M. (2010). Vårdandets värdegrund vid barnafödande. I: Berg, M. & Lundgren, I. (red.). *Att stödja och stärka. Vårdande vid barnafödande*. Lund: Studentlitteratur. S. 29–41.
- Bixo, M. & Sundström Poromaa, I. (2022). *Problemororienterad gynekologi och obstetrik*. 2 uppl. Liber: Stockholm.
- Chu, J., Hinshaw, K., Paterson-Brown, S., Johnston, T., Matthews, M., Webb, J. & Sharpe, P. (2018). Perimortem caesarean sectio – why, when and how. *Obstet Gynaecol*, 3:151–8.
- Dommellöf, M., Blomberg, M., Engström, E., Farooqi, A., Hafström, O., Herbst, A. et al. (2016). *Handläggning av hotande förtidsbörd och nyfödda barn vid gränsen för viabilitet*. Svenska neonatalföreningen.
- Fogarty, M., Osborn, D.A., Askie, L., Seidler, A.L., Hunter, K., Lui, K. et al. (2018). Delayed vs early umbilical cord clamping for preterm infants: a systematic review and meta-analysis. *Am J Obstet Gynecol*, 218(1):1–18.
- Gidlöf, S. & Nisell, H. (2010) ABC om Preeklampsi. *Läkartidningen*, 51–52:3288–92.
- Hagberg, H., Maršál, K. & Westgren, M. (red.) (2014). *Obstetrik*. 2 uppl. Lund: Studentlitteratur.
- Lindgren, H., Christensson, K. & Dykes, A. (red.) (2016). *Reproduktiv hälsa: barnmorskans kompetensområde*. Lund: Studentlitteratur.
- SFOG (2019). *Riktlinjer för hypertonisjukdomar under graviditet*. [Elektronisk]. Tillgänglig: <https://www.sfog.se/media/337263/hypertonisjukdomar-under-graviditet-sfog-2019-10-23-reviderad-210121.pdf> [2021-12-10].
- Socialstyrelsen (2001). *Handläggning av normal förlossning – state of the art*. Stockholm: Socialstyrelsen.
- Socialstyrelsen (2014). *Vård av extremt för tidigt födda barn – En vägledning för vård av barn födda före 28 fullgångna graviditetsveckor*. Stockholm: Socialstyrelsen.
- Socialstyrelsen (2020). *Statistik om graviditeter, förlossningar och nyfödda barn 2019*. Stockholm: Socialstyrelsen.
- WHO (2015). *WHO recommendations on interventions to improve preterm birth outcomes*. Geneva: World Health Organization.
- Wiklund, I., Nordström, L. & Norman, M. (2008). Vårdprogram för avnavling av nyfödda barn. *Läkartidningen*, 45:3208–10.

Kapitel 27

- American Academy of Pediatrics (2016). *Pediatric education for prehospital professionals*. 3 uppl. Burlington: Jones & Bartlett Learning.
- Bäckström, D., Steinvall, I. & Sjöberg, F. (2017). Change in child mortality patterns after injuries in Sweden: a nationwide 14-year study. *Eur J Trauma Emerg Surg*, 43:343–9.
- Dieckmann, R.A., Brownstein, D. & Gausche-Hill, M. (2010). The pediatric assessment triangle: a novel approach for the rapid evaluation of children. *Pediatr Emerg Care*, 26:312–5.

- Linde, J. (2018). Resuscitering: akut intensivvård i svåra miljöer på och utanför sjukhus. Stockholm: Vulkan.
- Norgren, S., Ludvigsson, J.F. & Norman, M. (2019). *Akut pediatrik*. 8 uppl. Stockholm: Liber.
- Smärtbehandlingsenheten för barn (2015). Riktlinjer för smärtbehandling vid Astrid Lindgrens barnsjukhus. [Elektronisk]. Tillgänglig: <https://www.karolinska.se/globalassets/global/4-gamlakataloger/tema-barn-och-kvinnosjukvard/barnperioperativ-medicin-och-intensivvard/riktlinjersmarta-barn.pdf> [2021-09-24].
- Socialstyrelsen (2021). *Sällsynta hälsotillstånd*. [Elektronisk]. Tillgänglig: [https://www.socialstyrelsen.se/stod-i-arbetet/sallsyntahalsotillstand/\[2021-05-07\]](https://www.socialstyrelsen.se/stod-i-arbetet/sallsyntahalsotillstand/[2021-05-07]).
- Svenska rådet för hjärt-lungräddning (2016). *A-HLR barn*. [Elektronisk]. Tillgänglig: <https://www.hlr.nu/wp-content/uploads/2018/03/Handlingsplan-AHLR-Barn-2016.pdf> [2021-09-24].
- Weingart, S.D. & Borshoff, D. C. (2018). *The resuscitation crisis manual*. Leeuwin Press.

Kapitel 28

- Alvis, B.D. & Hughes, C.G. (2015). Physiology considerations in geriatric patients. *Anesthesiol Clin*, 33:447–56.
- Boverket (2022). *Sammanställning av bostadsanpassningsbidragen*. [Elektronisk]. Tillgänglig: <https://Downloads/sammanstallning-av-bostadsanpassningsbidragen-2020.pdf> [2022-01-31].
- Eun, M.K., Min-Soo, K., Bon-Nyeo, K., Jeong-Rim, L., Toung, S. L., Jae, H.L. (2015). Clinical efficacy of the classic laryngeal mask airway in elderly patiente: a comparision with young adult patiente. *Korean J Anesthesiol*, 68:568–74.
- Ito, T., Takamata, A., Yaegashi, K., Itoh, T., Yoshida, T., Kawabata, T. et al. (2012). Role of blood volume in the age-associated decline in peak oxygen uptake in humans. *Jpn J Physiol*, 51:607–12.
- Johnson, K.N., Botros, D.B. Groban, L., Bryan, Y.F. (2015). Anatomic and physiopathologic changes affecting the airway of the elderly patient: implications for geriatric-focused airway management. *Clin Interven Aging*, 10:1925–34.
- Kikutani, T., Tamura, F., Tashiro, H., Yoshida, M., Konishi, K. & Hamada, R. (2015). Relationship between oral bacteria count and pneumonia onset in elderly nursing home resident. *Geriatr Gerontol Int*, 15:417–21.
- Khosravan, S., Alami, A., Hamzei, A. & Borna, J. (2015). Comparing the effectiveness of airway management devices in pre-hospital emergency care: a randomized clinical trial. *Pak J Med Sci*, 31:946–9.
- Kuhne, C.A., Ruchholtz, S., Kaiser, G.M. & Nast-Kolb, D. (2005). Mortality in severely injured elderly trauma patients—when does age become a risk factor? *World J Surg*, 29:1476–82.
- Lalley, P.M. (2013). The aging respiratory system – pulmonary structure, function and neural control. *Respir Physiol Neurobiol*, 187:199–210.
- Laurell, H., Hansson, L-E. & Gunnarsson, U. (2006) Acute abdominal pain among elderly patients. *Gerontology*, 52:339–44.
- Lederman, J. (2020). *Non-conveyed patients: a thesis on epidemiology, and patients and ambulance clinician's experiences*. Diss. Stockholm: Karolinska institutet.
- Ley, E., Clond, M.A., Srour, M.A., Barnajian, M., Mirocha, J. Margulies, D., & Salim, A. (2011). Emergency department crystalloid resuscitation of 1.5 l or more is associated

with increased mortality in elderly and nonelderly trauma patients. *J Trauma*, 70:398–400.

Martin, J.T, Alkhoury, F., O’Connor, J.A., Kyriakides, T.C. & Bonadies, J.A. (2010). ‘Normal’ vital signs belie occult hypoperfusion in geriatric trauma patients. *Am Surg*, 76:65–9.

Mizobe, T., Nakajima, Y., Ueno, H. & Sessler, D.I. (2006). Fructose administration increases intraoperative core temperature by augmenting both metabolic rate and the vasoconstriction threshold. *Anesthesiology*, 104:124–30.

MSB (2014). *Falloyckor: statistik och analys*. [Elektronisk]. Tillgänglig: <https://rib.msb.se/filer/pdf/27442.pdf> [2021-10-08].

Murtuza, F., Farrier, A.J., Venkatesan, M., Smith, R., Khan, A., Uzoigwe, C.E. & Chami, G. (2015). Is there an association between body temperature and serum lactate levels in hip fracture patients? *Ann R Coll Surg Engl*, 97:513–8.

Skog, M. (2009). *Vård och omsorg vid demenssjukdomar*. Stockholm: Bonnier utbildning.

Song, X., Mitnitski, A., Rockwood, K. (2010). Prevalence and 10-year outcome of frailty in older adults in relation to deficit accumulation. *J Am Geriatr Soc*, 58:681–7.

Steele, C.M. (2012). The physiology of deglutition and the pathophysiology and complications of oropharyngeal dysphagia. *Nestle Nutr Inst Workshop Ser*, 72:13–7.

Strait, J.B. & Lakatta, G.E. (2012). Aging-associated cardiovascular changes and their relationship to heart failure. *Heart Fail Clin*, 8:143–64.

Tinetti, M. E. (2003). Clinical practice. Preventing falls in elderly persons. *N Engl J Med*, 348:42–9.

Williams, M. & Ashworth, M. (2018). What is the incidence of inadvertent hypothermia in elderly hip fracture patients and is this associated with increased readmissions and mortality? *J Orthop*, 15:624–9.

Kapitel 29

Ahmedani, B., Simon, G., Stewart, C., Beck, A., Waitzfelder, B., Rossom, R. et al. (2014). Health care contacts in the year before suicidal deaths. *J Gen Intern Med*, 29:870–7.

Barratt, H., Rojas-García, A., Clarke, K., Moore, A., Whittington, C., Stockton, S. et al. (2016). Epidemiology of mental health attendances at emergency departments: systematic review and meta-analysis. *PLoS One*, 11:e0154449.

Bradbury, J., Hutchinson, M., Hurley, J. & Stasa, H. (2017). Lived experience of involuntary transport under mental health legislation. *Int J Ment Health Nurs*, 26:580–92.

Cavanagh, J., Carson A., Sharpe M. & Lawrie S. (2003). Psychological autopsy studies of suicide: a systematic review. *Psychol Med*, 33:395–405.

Duncan, E.A., Best, C., Dougall, N., Skar, S., Evans, J., Corfield, A. et al. (2019). Epidemiology of emergency ambulance service calls related to mental health problems and self harm: a national record linkage study. *Scand J Trauma Resusc Emerg Med*, 27:34.

Fazel S. & Runeson B. (2020). Suicide. *N Engl J Med*, 382:266–74.

Författningshandbok 2022 (2022). Stockholm: Liber.

John, A., DelPozo-Banos, M., Gunnell, D., Dennis, M., Scourfield, J., Ford, D. et al. (2020). Contacts with primary and secondary healthcare prior to suicide: case-control whole-population-based study using person-level linked routine data in Wales, UK, 2000–2017. *Br J Psychiatry*, 217:717–24.

Maguire, B. (2018). Violence against ambulance personnel: a retrospective cohort study of national data from Safe Work Australia. *Public Health Res Pract*, 28:28011805.

Nationellt centrum för suicidforskning och prevention, NASP (2020). *Själv mord i Sverige*. [Elektronisk]. Tillgänglig: <https://ki.se/nasp/sjalvmord-i-sverige> [2021-10-07].

Nelson, P.A., Cordingley, L., Kapur, N., Chew-Graham, C.A., Shaw, J., Smith, S. et al. (2020). "We're the first port of call" – Perspectives of ambulance staff on responding to deaths by suicide: A qualitative study. *Front Psychol*, 11:722.

Owens, C., Derges, J. & Abraham C. (2019). Intervening to prevent a suicide in a public place: a qualitative study of effective interventions by lay people. *BMJ Open*, 9:e032319.

Petzäll, K., Tällberg, J., Lundin, T. & Suserud, B.O. (2010). Threats and violence in the Swedish pre-hospital emergency care. *Int Emerg Nurs*, 1:5–11.

Rees, N., Rapport, F., Snooks, H., John, A. & Patel, C. (2017). How do emergency ambulance paramedics view the care they provide to people who self harm? Ways and means. *Int J Law Psychiatry*, 50:61–7.

Rees, N., Porter, A., Rapport, F., Hughes, S. & John, A. (2018). Paramedics' perceptions of the care they provide to people who self-harm: A qualitative study using evolved grounded theory methodology. *PLoS One*, 13:e0205813.

Rueve, M. & Welton, R. (2008). Violence and Mental Illness. *Psychiatry*, 5:34–48.

Runeson, B., Salander-Renberg, E., Westrin, Å. & Waern M. (2012). *Den suicidnära patienten: Vårdering och hantering av suicidrisk*. Lund: Studentlitteratur.

Salander Renberg, E., Sunnqvist, C., Westrin, Å., Wærn, M., Jokinen, J & uneson, B. (2013). *Suicidnära patienter – kliniska riktlinjer för utredning och vård*. [Elektronisk]. Tillgänglig: <http://www.svenskpsykiatri.se/wp-content/uploads/2017/02/SPF-kliniska-riktlinejr-om-suicidnara-patienter.pdf> [2021-10-07].

SWESEMs utbildningsutskott (2019). *Psykiskt status*. [Elektronisk]. Tillgänglig: <https://slf.se/swesem/app/uploads/2019/03/psykiskt-status-190130.pdf> [2021-10-07].

Vandewalle, J., Beeckman, D., Van Hecke, A., Debyser, B., Deproost, E. & Verhaeghe, S. (2019). Contact and communication with patients experiencing suicidal ideation: A qualitative study of nurses' perspectives. *J Adv Nurs*, 75:2867–77.

Wiklander, M., Samuelsson, M. & Asberg, M. (2003). Shame reactions after suicide attempt. *Scand J Caring Sci*, 3:293.

Kapitel 30

Magnusson, C., Herlitz, J. & Axelsson, C. (2020). Patient characteristics, triage utilisation, level of care, and outcomes in an unselected adult patient population seen by the emergency medical services: a prospective observational study. *BMC Emerg Med*, 20:7.

McManus, J.G. & Sallee, D.R. (2005). Pain management in the prehospital environment. *Emerg Med Clin North Am*, 23:415–31.

Mehta, P.K., Bess, C., Elias-Smale, S., Vaccarino, V., Quyyumi, A., Pepine, C.J. et al. (2019). Gender in cardiovascular medicine: chest pain and coronary artery disease. *Eur Heart J*, 40:3819–26.

National Association of Emergency Medical Technicians (U.S.) Advanced Medical Life Support Committee (2017). *AMLS: advanced medical life support : an assessment-based approach*. Burlington: Jones & Bartlett Learning.

Werner, M. & Bäckryd, E. (2019). *Akut och cancerrelaterad smärta : smärtmedicin Vol. 1*. Stockholm: Liber.

Yousefifard, M., Askarian-Amiri, S., Rafiei Alavi, S.N., Sadeghi, M., Saberian, P., Baratloo, A. et al. (2020) The Efficacy of ketamine administration in prehospital pain management of trauma patients; a systematic review and meta-analysis. *Arch Acad Emerg Med*, 8:e1.

Kapitel 31

American College of Surgeons. Committee on Trauma. National Association of Emergency Medical Technicians (U.S.) (2020). *PHTLS – prehospital trauma life support*. 9 uppl. Burlington: Jones & Bartlett Learning.

MSB (2015). *Gemensamma grunder för samverkan och ledning vid samhällsstörningar*. Karlstad: MSB.

MSB (2018). *Vägledning – samverkan vid pågående dödligt våld i publik miljö*. [Elektronisk]. Tillgänglig: <https://rib.msb.se/filer/pdf/28461.pdf> [2021-10-14].

Kapitel 32

Författningshandbok 2022 (2022). Stockholm: Liber.

MSB (2015). *Gemensamma grunder för samverkan och ledning vid samhällsstörningar*. Stockholm: MSB.

Nilsson, H. & Kristiansson, T. (2015). *Katastrofmedicinsk beredskap – att leda sjukvård på ett särskilt sätt*. Lund: Studentlitteratur.

Socialstyrelsen (2019). *Implementering av gemensamma grunder för samverkan och ledning vid samhällsstörning i landstingen*. Stockholm: Socialstyrelsen.

Kapitel 33

Bergström, U., Gustafsson, Å., Hägglund, L., Lejon, C., Sturk, D. & Tengell, T. (2015). *Vented gases and aerosol of automotive li-ion LFP and NMC batteries in humidified nitrogen under thermal load*. [Elektronisk] Tillgänglig:

<https://www.msb.se/siteassets/dokument/publikationer/english-publications/vented-gases-and-aerosol-of-automotive-li-ion-lfp-and-nmc-batteries-in-humidified-nitrogen-under-thermal-load.pdf> [2021-10-14].

Ciotto, G.R. (2018). Toxidrome recognition in chemical-weapons attacks. *N Engl J Med*, 378:1611–20.

FOI (2020). *CBRN-hot från ickestatliga aktörer – Årsrapport 2019*. [Elektronisk] Tillgänglig: <https://www.foi.se/rapportsammanfattning?reportNo=FOI-R--4953--SE> [2021-10-14].

MSB (2012). *Information om strålkällor*. MSB415. [Elektronisk]. Tillgänglig: <https://rib.msb.se/filer/pdf/26235.pdf> [2021-10-14].

MSB (2019). *Åtgärdskalender. Först på plats vid händelser med farliga ämnen CBRNE*. [Elektronisk]. Tillgänglig: <https://rib.msb.se/filer/pdf/28881.pdf> [2021-10-14].

Nathwani, A.C. et al (2016). Polonium-210 poisoning: a first-hand account. *Lancet*, 388:1075–80.

MSB (2020). *Vägledning, räddningsinsats där litiumjonbatterier förekommer*. [Elektronisk] Tillgänglig: <https://rib.msb.se/filer/pdf/29268.pdf> [2021-10-14].

Public Health England (2018). *Chemical, biological, radiological and nuclear incidents: clinical management and health protection*. [Elektronisk]. Tillgänglig: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/712888/Chemical_biological_radiological_and_nuclear_incidents_clinical_management_and_health_protection.pdf [2021-10-14].

Strålskyddsförordningen (2018:506).

Tegnell, A., Hellers, M., Wollin, R., Eriksson, U., Forsman, M., Engstrand, L. & Elgh, F. (2001). Anthrax – det svenska perspektivet. *Läkartidningen*, 50:5742–5.

Kapitel 34

- Bäckström, F., Bäckström, D., Sadi, L., Andersson, P. & Wladis, A. (2020). Surgical needs at the end of the battle of Mosul: results from Mosul general hospital. *World J Surg*, 44:673–9.
- DeSoucy, E., Shackelford, S., DuBose, J.J., Zweben, S., Rush, S.C., Kotwal, R.S. et al. (2017). Review of 54 cases of prolonged field care. *J Spec Oper Med*, 17:121–9.
- Försvarsmakten (2014). *Försvarsmaktsreglemente, försvarsmedicin, grunder*. Stockholm: Försvarsmakten.
- Joint Trauma System (2021). *TCCC guidelines*. [Elektronisk]. Tillgänglig: <https://deployedmedicine.com/content/40> [2021-11-08].
- Mazuchowski, E.L., Kotwal, R.S., Janak, J.C., Howard, J.T., Harcke, H.T., Montgomery, H.R. et al. (2020). Mortality review of US special operations command battle-injured fatalities. *J Trauma Acute Care Surg*, 88:686–95.
- MSB (2021). *Totalförsvaret och civilt försvar*. [Elektronisk]. Tillgänglig: <https://www.msb.se/sv/amnesomraden/krisberedskap--civilt-forsvar/om-totalforsvar-och-civilt-forsvar/> [2021-11-08].
- Pasquier, P., de Rudnicki, S., Donat, N., Auroy, Y. & Merat, S. (2011). Epidemiology of war injuries, about two conflicts: Iraq and Afghanistan. *Ann Fr Anesth Reanim*, 30:819–27.
- Patel, A.A., Hauret, K.G., Taylor, B.J. & Jones, B.H. (2017). Non-battle injuries among U.S. Army soldiers deployed to Afghanistan and Iraq, 2001–2013. *J Safety Res*, 60:29–34.
- Smith, M., Johnston, K. & Withnall, R. (2020). Systematic approach to delivering prolonged field care in a prehospital care environment. *BMJ Mil Health*, 167:93–8.

Kapitel 35

- Ahl, C. & Nyström, M. (2012). To handle the unexpected – the meaning of caring in pre-hospital emergency care. *Int Emerg Nurs*, 20:33–41.
- Ahlenius, M., Lindström, V. & Vicente, V. (2017). Patients' experience of being badly treated in the ambulance service: a qualitative study of deviation reports in Sweden. *Int Emerg Nurs*, 30:25–30.
- Anderson, N.E., Gott, M. & Slart, J. (2017). Grey areas: New Zealand ambulance personnel's experiences of challenging resuscitation decision-making. *Int Emerg Nurs*, 39:62–7.
- Aronsson, K., Björkdahl, I. & Wireklint Sundström, B. (2014). Prehospital emergency care for patients with suspected hip fractures after falling – older patients' experiences. *J Clin Nurs*, 23:3115–23.
- Batt, A., Ward, G. & Acker, J.J. (2017). Paramedic patient advocacy: a review and discussion. *Internet J Allied Health Sci Pract*, 15:1–7.
- Becker, T.K., Gausche-Hill, M., Aswegan, A.L., Baker, E.F., Bookman, K.J., Bradley, R.N., De Lorenzo, R.A. & Schoenwetter, D.J. for the American College of Emergency Physicians' EMS Committee. (2013). Ethical challenges in Emergency Medical Services: controversies and recommendations. *Prehosp Disaster Med*, 28:1–10.
- Braithwaite, S. (2014). *Ethics in paramedic practice: a qualitative case study of paramedic perceptions of ethical decision-making in practice*. Diss. North Carolina State University, Graduate Faculty, NC, US.
- Bremer, A. (2012). *Vid existensens gräns: etiskt vårdande och professionellt ansvar vid hjärtstopp utanför sjukhus*. Diss. Växjö: Linnaeus University Press.

- Bremer, A. & Holmberg, M. (2020). Ethical conflicts in patient relationships: Experiences of ambulance nursing students. *Nurs Ethics*, 27:946–59.
- Bremer, A. & Wireklint Sundström, B. (2019). Vårdrum – ett vårdande rum. I: Elmqvist, C. & Almerud Österberg, S. (red.). *Akut omhändertagande av trauma – på skadeplats och akutmottagning*, 2 uppl. Lund: Studentlitteratur. S. 23–49.
- Bremer, A., Dahlberg, K. & Sandman, L. (2009a). To survive out-of-hospital cardiac arrest; a search for meaning and coherence. *Qual Health Res*, 19:323–38.
- Bremer, A., Dahlberg, K. & Sandman, L. (2009b). Experiencing out-of-hospital cardiac arrest: Significant others' lifeworld perspective. *Qual Health Res*, 19:1407–20.
- Bremer, A., Dahlberg, K. & Sandman, L. (2012). Balancing between closeness and distance: Emergency medical services personnel's experiences of caring for families at out-of-hospital cardiac arrest and sudden death. *Prehosp Disaster Med*, 27:42–52.
- Bremer, A., Herrera, M.J., Axelsson, C., Martí, D.B., Sandman, L. & Casali, G.L. (2015). Ethical values in emergency medical services. *Nurs Ethics*, 22:928–42.
- Bremer, A. & Sandman, L. (2011). Futile cardiopulmonary resuscitation for the benefit of others: an ethical analysis. *Nurs Ethics*, 18:495–504.
- Brottsbalk (1962:700)*. [Elektronisk]. Tillgänglig: https://www.riksdagen.se/sv/dokument-lagar/dokument/svensk-forfattningssamling/brottsbalk-1962700_sfs-1962-700 [2022-03-24].
- Brülde, B. (2001). The goals of medicine. Towards a unified theory. *Health Care Anal*, 9:1–13.
- Brülde, B. (2003). *Teorier om livskvalitet*. Lund: Studentlitteratur.
- Brülde, B. (2007). *Lycka & lidande. Begrepp, metod och förklaring*. Lund: Studentlitteratur.
- Carlsson, N., Bremer, A., Alvariza, A., Årestedt, K., & Axelsson, L. (2020). Losing a close person following death by sudden cardiac arrest: bereaved family members' lived experiences. *Death Stud*, 1–10.
- Carter, H. & Thompson, J. (2015). Defining the paramedic process. *Aust J Prim Health*, 21:22–6.
- De Leo, D., Zamarrelli, J., Giannotti, A.V., Donna, S., Bertini, S., Santini, A., et al. (2020). Notification of unexpected, violent and traumatic death: a systematic review. *Front Psychol*, 11:2229.
- Djelantik, M., Smid, G.E., Mroz, A., Kleber, R.J. & Boelen, P.A. (2020). The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: systematic review and meta regression analysis. *J Affect Disord*, 265:146–56.
- Djäv, T., Bremer, A., Herlitz, J., Israelsson, J., Cronberg, T., Lilja, et al. (2020). Health-related quality of life after surviving an out-of-hospital compared to an in-hospital cardiac arrest: A Swedish population-based registry study. *Resuscitation*, 151:77–84.
- Douglas, L.A., Cheskes, S., Feldman, M. & Ratnapalan, S. (2012). Paramedics' experiences with death notification: a qualitative study. *J Paramed Pract*, 4:533–9.
- Douglas, L., Cheskes S., Feldman, M. & Ratnapalan, S. (2013). Death notification education for paramedics: past, present and future directions. *J Paramed Pract*, 5:152–9.
- Erbay, H. (2014). Some ethical issues in prehospital emergency medicine. *Turk J Emerg Med*, 14:193–8.
- Erbay, H., Alan, S. & Kadioğlu, S. (2010). A case study from the perspective of medical ethics: Refusal of treatment in an ambulance. *J Med Ethics*, 36:652–5.
- French, E. & Casali, G.L. (2008). Ethics in emergency medical services – who cares? An exploratory analysis from Australia. *EJBO*, 13:44–53.
- Författningshandbok 2022* (2022). Stockholm: Liber.

- Glasberg, A., Eriksson, S., Dahlqvist, V., Lindahl, E., Strandberg, G., Söderberg, A., et al. (2006). Development and initial validation of the stress of conscience questionnaire. *Nurs Ethics*, 13:633–48.
- Holmberg, M., Forslund, K., Wahlberg, A.C. & Fagerberg, I. (2014). To surrender in dependence of another: the relationship with the ambulance clinicians as experienced by patients. *Scand J Caring Sci*, 28:544–51.
- Holmberg, M., Wahlberg, A.C., Fagerberg, I. & Forslund, K. (2016). Ambulance clinicians' experiences of relationships with patients and significant others. *Nurs Crit Care*, 21:16–23.
- Isaksson, R-M., Holmgren, L., Lundblad, D., Brulin, C. & Eliasson, M. (2008). Time trends in symptoms and prehospital delay time in women vs. men with myocardial infarction over a 15-year period. The Northern Sweden MONICA Study. *Eur J Cardiovasc Nurs*, 7:152–8.
- Juth, N. (2005). *Genetic information values and rights. The morality of presymptomatic genetic testing*. Diss. Acta Philosophica Gothoburgensia 18. Göteborg: Göteborgs universitet.
- Kristensen, P., Weisæth, L., & Heir, T. (2012). Bereavement and mental health after sudden and violent losses: a review. *Psychiatry*, 75:76–97.
- Lechasseur, K., Caux, C., Dollé, S. & Legault, A. (2018). Ethical competence: an integrative review. *Nurs Ethics*, 25:694–706.
- Leggio, W.J., Giguere, A., Slinger, C., Zlotnicki, N., Walker, S. & Miller, M.G. (2020). Homeless shelter users and their experiences as EMS patients: a qualitative study. *Prehosp Emerg Care*, 24:214–9.
- Lindemann, E. (1944). Symptomatology and management of acute grief. *Am J Psychiatry*, 101:141–8.
- Mackenzie, C. (2008). Relational autonomy, normative authority and perfectionism. *J Soc Philos*, 39:512–33.
- Merlevede, E., Spooren, D., Henderick, H., Portzky, G., Buylaert, W., Jannes, C., Calle, P., Van Staey, M., De Rock, C., Smeesters, L., Michem, N. & van Heeringen, K. (2004). Perceptions, needs and mourning reactions of bereaved relatives confronted with a sudden unexpected death. *Resuscitation*, 61:341–48.
- Morrison, L.J, Eby, D., Veigas, P.V., Zhan, C., Kiss, A., Arcieri, V., et al. (2014). Implementation trial of the basic life support termination of resuscitation rule: Reducing the transport of futile out-of-hospital cardiac arrests. *Resuscitation*, 85:486–91.
- Myall, M., Rowsell, A., Lund, S., Turnbull, J., Arber, M., Crouch, R., et al. (2020). Death and dying in prehospital care: what are the experiences and issues for prehospital practitioners, families and bystanders? A scoping review. *BMJ Open*, 10:e036925.
- Nilsson, C., Bremer, A., Blomberg, K. & Svantesson, M. (2017). Responsibility and compassion in prehospital support of suicide victim – Professionals' experiences. *Int Emerg Nurs*, 35:37–42.
- Nordby, H. (2013). Should paramedics ever accept patients' refusal of treatment or further assessment? *BMC Med Ethics*, 14:44.
- Nordby H. & Øyvind N. (2012). The ethics of resuscitation: how do paramedics experience ethical dilemmas when faced with cancer patients with cardiac arrest? *Prehosp Disast Med*, 27:64–70.
- Proposition 1996/97:60. *Prioriteringar inom hälso- och sjukvården*, bet.1996/97:SoU 14, rskr. 1996/97:186.
- Rantala, A., Ekwall, A. & Forsberg, A. (2016). The meaning of being triaged to non-emergency ambulance care as experienced by patients. *Int Emerg Nurs*, 25:65–70.
- Riksföreningen för ambulanssjuksköterskor (2022). *Kompetensbeskrivning avancerad nivå. specialistsjuksköterska med inriktning mot ambulanssjukvård*. [Elektronisk].

Tillgänglig:

<https://www.swenurse.se/download/18.b4feee317fb5c0374b784b/1648049014009/Kompetensbeskrivning%20avancerad%20niv%C3%A5%20sjuksk%C3%B6terskor%20inom%20ambulansv%C3%A5rd.pdf> [2022-03-24].

Roths, I.A., Nogueirs, I.C., Coutinho da Silva, A.P. & Henriques, M.R. (2020). When emergency patients die by suicide: the experience of prehospital health professionals. *Front Psychol*, 11:2036.

Sandman, L. (2004). *A good death: on the value of death and dying*. Maidenhead: Open University Press.

Sandman, L. & Kjellström, S. (2018). *Etikboken: etik för vårdande yrken*. 2 uppl. Lund: Studentlitteratur.

Sandman, L. & Munthe, C. (2009). Shared decision-making and patient autonomy. *Theor Med Bioeth*, 30:289–310.

Sandman, L. & Nordmark, A. (2006). Ethical conflicts in prehospital emergency care. *Nurs Ethics*, 13:592–607.

Sasson, C., Forman, J., Krass, D., Macy, M., Hegg, A.J., McNally, B.F. & Kellermann, A.L. (2010). A qualitative study to understand barriers to implementation of national guidelines for prehospital termination of unsuccessful resuscitation efforts. *Prehosp Emerg Care*, 14:250–8.

Sine, D.M. & Northcutt, N. (2008). A qualitative analysis of the central values of professional paramedics. *Am J Disast Med*, 3:335–43.

Socialdepartementet (1995). *Vårdens svåra val*. SOU 1995:5. [Elektronisk]. Tillgänglig: <https://www.regeringen.se/rattsliga-dokument/statens-offentliga-utredningar/1995/03/sou-19955/> [2022-03-24].

Stoljar, N. (2011). Informed consent and relational conceptions of autonomy. *J Med Philos*, 36:375–84.

Svenska läkaresällskapet (2010). *Etiska aspekter på rökstopp inför kirurgi*. [Elektronisk]. Tillgänglig: <https://www.sls.se/globalassets/sls/etik/dokument/000012121.pdf> [2022-03-24].

Svenska läkaresällskapet, Svensk sjuksköterskeförening och Svenska rådet för hjärt-lungräddning (2021). *Etiska riktlinjer för hjärt-lungräddning (HLR)*. Stockholm: SLS, SSF och HLR-rådet.

Svensson, A. & Fridlund, B. (2008). Experiences of and actions towards worries among ambulance nurses in their professional life: A critical incident study. *Int Emerg Nurs*, 16:35–42.

Torabi, M., Borhani, F., Abbaszadeh, A. & Atashzadeh-Shoorideh, F. (2018).

Experiences of pre-hospital emergency medical personnel in ethical decision-making: a qualitative study. *BMC Med Ethics*, 19:95.

Tännsjö, T. (2002). *Tvångsvård: om det fria valets etik i hälso- och sjukvård*. Stockholm: Thales.

Van Der Kluit, M.J., Dijkstra, G.J. & De Rooij, S.E. (2018). The decision-making process for unplanned admission to hospital unveiled in hospitalised older adults: A qualitative study. *BMC Geriatr*, 18:1–12.

Warden, J.M. (2012). *Principles, virtue and the moral agent: Toward an ethic of patient care for the emergency medical services*. Ann Arbor: ProQuest.

Wilkinson, J.M. (1988). Moral distress in nursing practice: experience and effect. *Nurs Forum*, 23, 16–29.

Ågård, A., Herlitz, J., Castrén, M., Jonsson, L. & Sandman, L. (2012). Guidance for ambulance personnel on decisions and situations related to out-of-hospital CPR. *Resuscitation*, 83:27–31.